

Logiciel

Adminer : une interface web pour gérer les BDD SQL

Introduction

Adminer, c'est comme phpMyAdmin mais en beaucoup plus light : un seul fichier prêt à être déployer sur le serveur cible.

En plus, Adminer est disponible pour MySQL, PostgreSQL, SQLite, MS SQL, Oracle, Firebird, SimpleDB, ElasticSearch et MongoDB.

Pré-requis

Installation

Téléchargez Adminer sur <https://www.adminer.org/> :



The screenshot shows the Adminer website interface. At the top, there's a logo with a database icon and the text "Adminer Database management in a single PHP file". Below the logo are language selection options: English, Čeština, Slovenčina, Deutsch, Polski. A navigation bar contains links for Adminer, Adminer Editor, Plugins, News, Forums, Bugs, and Code. The main content area features a description of Adminer as a full-featured database management tool written in PHP, available for various databases. A red box highlights the "Download v 4.7.1, 2019-01-24" button. Below this is a "Downloads" section with a list of download options, where the first item "Adminer 4.7.1 (.php, 470 kB), English only (.php, 318 kB)" is also highlighted with a red box.

Adminer (formerly phpMinAdmin) is a full-featured database management tool written in PHP. Conversely to phpMyAdmin, it consist of a single file ready to deploy to the target server. Adminer is available for MySQL, MariaDB, PostgreSQL, SQLite, MS SQL, Oracle, Firebird, SimpleDB, Elasticsearch and MongoDB.

See: [Features](#), [Requirements](#), [Skins](#), [References](#)

Download v 4.7.1, 2019-01-24

Downloads

- **Adminer 4.7.1 (.php, 470 kB), English only (.php, 318 kB)**
- Adminer 4.7.1 for MySQL (.php, 349 kB), English only (.php, 205 kB)
- Source codes (.zip, 717 kB), Current development version
- [Donate](#), Monthly contribution on [Patreon](#)
- Latest stable version (use e.g. by wget): [https://www.adminer.org/latest\[-mysql\]\[\[-en\].php](https://www.adminer.org/latest[-mysql][[-en].php)
- [Change log](#), [blog](#)
- [Debian package](#), [Arch Linux package](#), [Wordpress plugin](#), [Drupal module](#), [Docker](#), [Joomla extension](#) (1, 2)
- [Moodle plugin](#), [TYPO3 extension](#), [CMS Made Simple Module](#), [Laravel](#), [AMPPS](#)
- Adminer is also bundled with [Nette Framework](#) (which this site runs on).
- [GitHub mirror](#)
- [Older versions](#)


Renommez le fichier en **index.php**

Via FTP, envoyez sur le serveur ce fichier **index.php** dans un répertoire (par ex. **/adminer**) qui deviendra un sous-domaine accessible par <http://mondomaine.tld/adminer>

Configuration


Utilisation

Connectez-vous sur <http://adminer.mondomaine.tld> :



The image shows the Adminer 4.7.1 authentication interface. At the top left, there is a language dropdown menu set to 'Français'. Below it, the version 'Adminer 4.7.1' is displayed. The main title 'Authentification' is centered at the top. The form contains several fields: 'Système' (MySQL), 'Serveur' (localhost), 'Utilisateur' (root), 'Mot de passe' (masked with dots), and 'Base de données' (empty). At the bottom, there is an 'Authentification' button and a checked checkbox for 'Authentification permanente'.

Si vous ne donnez pas de nom de base de données, la page suivante s'affiche :



The image shows the Adminer 4.7.1 database selection screen. The language is 'Français' and the system is 'MySQL > Serveur'. The title is 'Sélectionner la base de données'. A red box highlights the 'DB:' dropdown menu. Below the menu are links for 'Requête SQL', 'Importer', and 'Exporter'. The screen displays the MySQL version '5.5.5-10.1.40-MariaDB-0ubuntu0.18.04.1' and the user 'root@localhost'. A table lists available databases with columns for 'Base de données - Rafraîchir', 'Interclassement', 'Tables', and 'Taille - Calcul'. A 'Sélectionnée(s) (0)' box with a 'Supprimer' button is at the bottom.

Base de données - Rafraîchir	Interclassement	Tables	Taille - Calcul
<input type="checkbox"/> information_schema	utf8_general_ci	?	?
<input type="checkbox"/> mysql	utf8mb4_general_ci	?	?
<input type="checkbox"/> osticket	utf8_general_ci	?	?
<input type="checkbox"/> performance_schema	utf8_general_ci	?	?
<input type="checkbox"/> phpmyadmin	utf8mb4_general_ci	?	?

Un menu déroulant permet de choisir une base ; pour le reste, le fonctionnement est similaire à phpmyadmin.

Désinstallation

Voir aussi

- (en) <http://>

- (fr) <http://>
-

Basé sur « [Article](#) » par Auteur.

From:

<https://www.nfrappe.fr/doc-0/> - **Documentation du Dr Nicolas Frappé**

Permanent link:

<https://www.nfrappe.fr/doc-0/doku.php?id=logiciel:internet:adminer:start>

Last update: **2022/08/13 21:57**

