

Logiciel

# Adminer : une interface web pour gérer les BDD SQL

## Introduction

**Adminer**, c'est comme phpMyAdmin mais en beaucoup plus light : un seul fichier prêt à être déployer sur le serveur cible.

En plus, Adminer est disponible pour MySQL, PostgreSQL, SQLite, MS SQL, Oracle, Firebird, SimpleDB, ElasticSearch et MongoDB.

## Pré-requis

## Installation

Téléchargez Adminer sur <https://www.adminer.org/> :



The screenshot shows the Adminer website homepage. At the top, there's the Adminer logo and the tagline "Database management in a single PHP file". Below that, there are language selection options (English, Čeština, Slovenčina, Deutsch, Polski) and navigation links (Adminer, Adminer Editor, Plugins, News, Forums, Bugs, Code). The main content area features a screenshot of the Adminer interface and a "Download" button for version 4.7.1, dated 2019-01-24. Below this, there's a "Downloads" section with a list of download options, including "Adminer 4.7.1 (.php, 470 kB)", "Adminer 4.7.1 for MySQL (.php, 349 kB)", "Source codes (.zip, 717 kB)", "Donate, Monthly contribution on Patreon", "Latest stable version (use e.g. by wget): https://www.adminer.org/latest[-mysql][[-en].php", "Change log, blog", "Debian package, Arch Linux package, Wordpress plugin, Drupal module, Docker, Joomla extension (1, 2)", "Moodle plugin, TYPO3 extension, CMS Made Simple Module, Laravel, AMPPS", "Adminer is also bundled with Nette Framework (which this site runs on).", "GitHub mirror", and "Older versions". The first item in the list, "Adminer 4.7.1 (.php, 470 kB)", is highlighted with a red box.


Renommez le fichier en **index.php**

Via FTP, envoyez sur le serveur ce fichier **index.php** dans un répertoire (par ex. **/adminer**) qui deviendra un sous-domaine accessible par <http://mondomaine.tld/adminer>

## Configuration


# Utilisation

Connectez-vous sur <http://adminer.mondomaine.tld> :



The image shows the Adminer 4.7.1 authentication interface. At the top left, there is a language dropdown menu set to 'Français'. Below it, the version 'Adminer 4.7.1' is displayed. The main title 'Authentification' is centered at the top. The form contains several fields: 'Système' (MySQL), 'Serveur' (localhost), 'Utilisateur' (root), 'Mot de passe' (masked with dots), and 'Base de données' (empty). At the bottom, there is an 'Authentification' button and a checked checkbox for 'Authentification permanente'.

Si vous ne donnez pas de nom de base de données, la page suivante s'affiche :



The image shows the Adminer 4.7.1 database selection screen. The language is 'Français' and the system is 'MySQL > Serveur'. The title is 'Sélectionner la base de données'. A dropdown menu for 'DB:' is highlighted with a red box. Below it are links for 'Requête SQL', 'Importer', and 'Exporter'. The screen displays the MySQL version '5.5.5-10.1.40-MariaDB-0ubuntu0.18.04.1' and the user 'root@localhost'. A table lists available databases with columns for 'Base de données - Rafraîchir', 'Interclassement', 'Tables', and 'Taille - Calcul'. A 'Sélectionnée(s) (0)' box with a 'Supprimer' button is at the bottom.

Base de données - Rafraîchir	Interclassement	Tables	Taille - Calcul
<input type="checkbox"/> information_schema	utf8_general_ci	?	?
<input type="checkbox"/> mysql	utf8mb4_general_ci	?	?
<input type="checkbox"/> osticket	utf8_general_ci	?	?
<input type="checkbox"/> performance_schema	utf8_general_ci	?	?
<input type="checkbox"/> phpmyadmin	utf8mb4_general_ci	?	?

Un menu déroulant permet de choisir une base ; pour le reste, le fonctionnement est similaire à phpmyadmin.

## Désinstallation

## Voir aussi

- (en) <http://>

- **(fr)** <http://>
- 

Basé sur « [Article](#) » par Auteur.

From:

<https://www.nfrappe.fr/doc-0/> - **Documentation du Dr Nicolas Frappé**

Permanent link:

<https://www.nfrappe.fr/doc-0/doku.php?id=logiciel:internet:adminer:start>

Last update: **2022/08/13 21:57**

